

V SEMINÁRIO DE PESQUISA E DESENVOLVIMENTO PROVIC / PIBIC II ENCONTRO DE INICIAÇÃO CIENTÍFICA PIBIC / CNPQ



Online Perspectives Journal: Human & Applied Social Proceedings of the 5th Research & Development PROVIC/PIBIC Seminar and 2nd CNPq Scientific Initiation Meeting, V. 10, n° 28, Supplement, 2020

Psychology Sevice of Anita Balistieri: 2018 what did you bring to me?!

<u>Mariana Blunck Salazar da Costa</u>¹, Alice dos Santos Ressiguier², Aline Fernandes de Freitas², Karina Keli Rodrigues², Lívia Dantés Santana¹, Roberto Carvalho Alves Filho³

(1) Aluna de Iniciação Científica do PIBIC/CNPq – Curso de Psicologia; (2) Pesquisadores Colaboradores - Laboratório de Estudos do Processo de Estigmatização - LEPE/ISECENSA ; (3) Pesquisador Orientador - Laboratório de Estudos do Processo de Estigmatização - LEPE/ISECENSA - Curso de Psicologia - Institutos Superiores de Ensino do CENSA – ISECENSA, Rua Salvador Correa, 139, Centro, Campos dos Goytacazes, RJ, Brasil

Psychopathology emerges in the human experience from the analysis and discussion of the narratives and singular forms of life of individuals. Its origin, as a science, occurs at the birth of psychiatry that describes the signs and symptoms, related to the mode of behavior and thinking, which are outside the norm, making use of Semiology for the diagnosis of psychopathological phenomenon. This paper aims to verify the types of pathology based on an exploratory analysis of the clinical reports from the visits made by the trainees at the SPA in the academic year of 2018. And, as an objective, to obtain information on the diagnoses and psychopathological diseases of the patients to identify such changes and the fundamental and recurring types present in that period. As well as, improving and enabling curricular advancement that will cooperate for the better execution of the academic competences and skills of the student. Quantitative research will show, by grouping it in a table, the incidence of pathologies observed from the collected sample. 101 clinical reports were analyzed, where we found at the age group from 0 to 12 years old more ADHD; in the age group of 13 to 18 years old the highest rate of depression; in the 19 to 60 year age group the highest incidence of Panic Disorder and Depression and, over 60 years age, Depression. We consider that our research corroborates with the diagnoses found and with the data of predominance of certain pathologies in the specialized literature from the discrimination of sex and age.

Keywords: Psychopathology. Psychological suffering. Diagnosis.

Supported by: ISECENSA